Entered in NID File Entered On S R Sheet Location Map Pinned Card Indexed I W R for State or Fee Land	Checked by Chief Copy. N I D to Field Office Approval Letter Disapproval Letter	
COMPLETION DATA: Date Well Completed 12-19-6/ OW	Location Inspected Bond released State of Fee Land	10.3.22
Driller's Log 3-5-62-		Micro

LAND:

		于	
,	 		


STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY. UTAH

Fee and Patented.		
State		
Lease No138	48	
Public Domain		
Lease No.		1
Indian		の情報である

Notice of Intention to Drill	x	Subsequent Repor	t of Water Shut-	off
Notice of Intention to Change Plans		Subsequent Report		
Notice of Intention to Redrill or Repair		Subsequent Repor		
Notice of Intention to Pull or Alter Ca	asing	Supplementary W	ell History	
Notice of Intention to Abandon Well				
(INDICATE AR	OVE BY CHECK MARK NATU	RE OF REPORT, NOTICE, OR O'	HER DATA	
Well No is located .T	2 M K	Dece	nber 4.	, 19. <u>61</u>
	(N)	KAN.	(E),	
well No is located	FE II. Irom (SK)	line and $\frac{1029}{1850}$	t. from {W} lin	e of Sec. A.V
C NE/4SW/4NE/4 of Sec. 20,				L. M.
(1/4 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)
Wildcat (Field)	Daggett Coun	ty	Ut	ah
(Field)	(County or	Subdivision)	(State	or Territory)
The elevation of the derrick floor ab	ove sea level is	feet.		4
		:		* .
A drilling and plugging bond has bee	en filed with			4 1 1 1 1 1
	DEMATEC	OD WODY		
	DETAILS (
(State names of and expected depths to ob	jective sands; show si	izes, weights, and lengt	hs of proposed casi	ngs; indicate muddi
jobs, cementing points, and all other impor	rant work, surface it	ormation, and date ant	cipate spudding-in.	
60 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c	asing. Drill 6	-1/4 inch hole,		
50 ft. of 8-5/8 in. surface c bottom of hole. Propose to	asing. Drill 6 o spud-in Dece	-1/4 inch hole, mber 5, 1961.	using 4-1/2	inch casing
50 ft. of 8-5/8 in. surface c bottom of hole. Propose to	asing. Drill 6 o spud-in Dece	-1/4 inch hole, mber 5, 1961.	using 4-1/2	inch casing
60 ft. of 8-5/8 in. surface c s bottom of hole. Propose to understand that this plan of work must r	asing. Drill 6 p spud-in Dece	-1/4 inch hole, mber 5, 1961.	using 4-1/2	inch casing
I understand that this plan of work must r	asing. Drill 6 c spud-in Dece	-1/4 inch hole, mber 5, 1961.	using 4-1/2	inch casing
Drill to penetrate Dakota form 160 ft. of 8-5/8 in. surface company Robert A. Klicker, Address 1842 Crook Avenue Cheyenne, Wyoming	asing. Drill 6 c spud-in Dece	-1/4 inch hole, mber 5, 1961.	on before operation	inch casing

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.



GERTIFICATE OF SURVEYOR

State of Wyoming County of Sweetwater

1. David P. Miller, of Rock Springs, Wysming, do hereby certify that this may shows correctly the well location mote for the E.L.K. OIL CO. MAY 30 1961

MAP

SHOWING LOCATION OF

WELL IN NEXSWENEY

SEC. 20- T. 3 N. - R. 20 E.

E.L.K. OIL CO.

CHEYENNE-WYO.

OIL AND GAS CONSERVATION COMMISSION

OF THE STATE OF UTAH

DESIGNATION OF AGENT

extraction plant operator, or initial purchaser who is conducted oil and/or gas operations in the State of Utah, does pursuant to the Rules and Regulations and

The undersigned producer, operator, transporter, refiner, gasoline or other

Rules of Practice and Procedure, hereby appoint
, whose address is 1637 S. ARTISTIC CIR
BNTFL SALT LAKE CITY, (his, her or its) designated agent to
accept and to be served with notices from said Commission, or from other persons
authorized under the Oil and Gas Conservation Act of the State of Utah.
The undersigned further agrees to immediately report in writing all changes
of address of the agent, and any termination of the agent's authority, and in the
latter case, the designation of a new agent or agents shall be immediately made.
This designation of agent, however, shall remain in full force and effect until and
unless a new designation of agent is filed in accordance with said statute and said
regulations.
Effective Date of Designation / Dec 1961.
Company E.L. K. OIL CO, Address 1842 CROOK AVE CHEYENNE WY
By Fert A. Klicker Title PRES
(Signature)

STATE OF UTAH

OIL AND GAS CONSERVATION COMMISSION

In The Matter of The Application of Robert A. Klicker to obtain Approval of Unorthodox Situs of Well Location)))	Cause No.	•
. at	a ala ala ala ala ala		

PETITION

Comes Now Robert A. Klicker, applicant, and respectfully shows the Commission:

- 1. That applicant desires to drill a well at a location less than 500 feet from the boundary of a legal subdivision, said well to be drilled for oil and gas, more specifically 1650 feet from the North line and 1650 feet from the East line of Section 20, in C NE/4SW/4NE/4 of Section 20, T. 3 N., R. 20 E., S.L.M.
- 2. That the necessity for the unorthodox location is based upon topographical conditions, namely, that the area at which the well would normally be located is so swampy a drilling rig would not have sufficient support to operate.
- 3. That the ownership of oil and gas leases within a radius of 660 feet of the proposed location is common with the ownership of the oil and gas lease under the proposed location, in that all said lands are embraced within State of Utah oil and gas lease ML #13848.

WHEREFORE, applicant respectfully requests that the Oil and Gas Conservation Commission grant an exception to the requirements of Rule C-3 (a) and (b) of the General Rules and Regulations and Rules of Practice and Procedure as to situs of the proposed well location.

Robert A. Klicker

VERIFICATION

STATE OF UTAH)) ss.
County of Salt Lake)
Robert A. Klicker, being first duly sworn and on oath, deposes and says
that he is the applicant in the above-entitled cause, that he has read the foregoing
application of petition and knows the contents thereof, and that the statements
contained therein are true, as he verily believes.
Subscribed and sworn to before me this day of December, 1961.
My commission expires
Notary Public

(SUBMIT IN DUPLICATE)

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION


SALT LAKE CITY, UTAH

Fee and Patented
Public Domain
Indian

SUNDRY NOTICES	AIND		01(10 01)	WELLS	
Notice of Intention to Drill. Notice of Intention to Change Plans. Notice of Intention to Redrill or Repair. Notice of Intention to Pull or Alter Casing. Notice of Intention to Abandon Well.		Subseque Subseque Supplem	ent Report of Wa ent Report of Alt ent Report of Re entary Well Hist	ering Casing drilling or Rep ory	air
(Indicate above by check m.	ARK NATUR	E OF REPORT,	NOTICE, OR OTHER DATA)	=""
Well No. 1 is located 1650 ft. fro C NE/4SW/4NE/4 of Sec. 20, T. 3 N. (1/4 Sec. and Sec. No.) (Twp.)	.2	R.	20 E. (Range)	S. L.	M.
Wildcat Daggett	(County or	Y Subdivision)		Utah (State er Terri	tory)
A drilling and plugging bond has been filed wit	h				
(State names of and expected depths to objective sands; jobs, cementing points, and all other important work, so Drill to penetrate Dakota formation at 150 ft. of 8-5/8 in. surface casing. D	; show si urface fo appro orill 6	zes, weight ormation, as x. 1700	K s, and lengths of prond date anticipate sp ft. Set and can hole, using	oposed casings; in pudding-in.) cement appi	cox.
(State names of and expected depths to objective sands; jobs, cementing points, and all other important work, substitution of penetrate Dakota formation at 150 ft. of 8-5/8 in. surface casing. Do to bottom of hole. Propose to spud-in	; show si urface fo appro Orill 6. Decen	zes, weight ormation, as x. 1700 -1/4 incomber 5,	K s, and lengths of prond date anticipate sp ft. Set and can hole, using	oposed casings; in pudding-in.) cement appi	cox.
(State names of and expected depths to objective sands	; show si urface fo appro Orill 6. Decen	zes, weight ormation, as x. 1700 -1/4 incomber 5,	K s, and lengths of prond date anticipate sp ft. Set and can hole, using	oposed casings; in pudding-in.) cement appi	cox.
(State names of and expected depths to objective sands; jobs, cementing points, and all other important work, so Drill to penetrate Dakota formation at 150 ft. of 8-5/8 in. surface casing. Do bottom of hole. Propose to spud-in	; show si urface for appro Orill 6. Decen	zes, weight ormation, as x. 1700 -1/4 incomber 5,	K s, and lengths of prond date anticipate spot ft. Set and can hole, using 1961.	oposed casings; in pudding-in.) cement appr 4-1/2 inch	casing
(State names of and expected depths to objective sands jobs, cementing points, and all other important work, so Drill to penetrate Dakota formation at 150 ft. of 8-5/8 in. surface casing. Do to bottom of hole. Propose to spud-in the letter of March 14, 1962 from har.	show si urface for appropriate	zes, weight ormation, as x. 1700 -1/4 incomber 5,	K s, and lengths of prond date anticipate sp ft. Set and can hole, using 1961.	oposed casings; in pudding-in.) cement appropriate app	casing

producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well con-

forms to applicable rules, regulations and orders.



_____Corner Found

CERTIFICATE OF SURVEYOR

State of Wyoming County of Sweetwater

I, David P. Miller, of Rock Springs, Wyoming, do hereby certify that this map shows correctly the well location made for the E.L.K. O/L CO.

on NOV 30 1961

MAP

SHOWING LOCATION OF


WELL IN NEWSWENEY

SEC. 20- T. 3 N.- R. 20 E.

E.L.K. OIL CO.

CHEYENNE-WYO.

RE.- L.S. ROG. NO 1130



CERTIFICATE OF SURVEYOR

State of Wyoming County of Sycotwater

Hybrid P. Miller, of Reck Springe, Wybring, do hereby certify that this mup shows correctly the well location made for the <u>E.L.K. Q14 CQ:</u>

Sani Priliffer

MAP
SHOWING LOCATION OF
WELL IN NEXSWENES

BEG. 20- T. 3 N. R. 20 E.
E.L.K. OIL CO.
CHEYENNE-WKO.

December 5, 1961

E. L. K. Oil Company 1842 Crock Avenue Chayenne, Wyoming

Attn: Mr. Robert A. Klicker, Owner

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. State \$1, which is to be located 1850 feet from the north line and 1850 feet from the east line of Section 20, Township 3 North, Range 20 East, SLEM, Daggett County, Utah.

Please be advised that approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Please take note that should it be necessary to plug and abandon said well you are hereby requested to give advance notice of the date and time said plugging will take place to one of the following named individuals, by phone or otherwise, in order that our petroleum engineer may be present to inspect the manner in which the well is being plugged:

C. B. FEIGHT, Executive Director
Office Phone: BA 8-5771 or BA 8-5772
Home Phone: HU 5-2721

R. L. K. Oil Company Attn: Mr. Robert A. Klicker December 5, 1961 Page -2-

NOBERT L. SCHMIDT, Chief Petroleum Engineer Office Phone: DA 8-5771 or DA 8-5772 Home Phone: AM 6-8616

All other forms of communication should be addressed to the Utah State Oil and Gas Conservation Commission, 310 Newhouse Building, Salt Lake City, Utah.

Please have the enclosed "Minimum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Yery truly yours.

OIL & GAS COMSERVATION CONCISSION

CLEON B. FRIGHT, EXECUTIVE DIRECTOR

CBF: avg ec; Utah State Land Board Salt Lake City, Utah

Inclosure

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

Salt Lake City 14, Utah

REPORT OF OPERATIONS AND WELL STATUS REPORT

				_					Vildcat
	StateU	tah	Cou	inty Dagg	gett		. Field or	LeaseY	Tlincheta State No. 1
							d production	on (includ	ling drilling and producing wells) for
				A TZ	,				T. T. O
	Agent's	address 1842 C	Robe rook A	ert A. K Avenue	licker		Compa	any E.	L. K. Oil Company
		Cheye	nneV	lyoming.	••••••		Signed		
	Phone .	634	- 7090	····			Agent'	s title	Owner
	State Lea	ase No	13848	Fede	ral Lease	No		Indian L	ease No Fee & Pat.
	Sec. & 1/4 of 1/4	Twp.	Range	Well No.	*Status	Oil Bbls.	Water Bbls.	Gas MCF's	REMARKS (If drilling, Depth; if shut down, Cause; Date & Results of Water Shut-Off Test;
	14SW 1/4 51/4	3 N.	20 E.	1	Plug-ged	0	0	0	Date & Results of Water Shut-Off Test; Contents of Gas; and Gas-Oil Ratio Test)
Sec.	•				804				Plugged December 19, 1961
				į.					
						•			
									·
						- No.			

NOTE: Report on this form as provided for in Rule C-22. (See back of form.)

FILE IN DUPLICATE

*STATUS: F-Flowing P-Pumping GL-Gas Lift SI-Shut In D-Dead GI-Gas Injection TA-Temp. Aban.

WI-Water Injection

Form OGCC-3

20

LOCATE WELL CORRECTLY

STATE OF UTAH

OIL & GAS CONSERVATION COMMISSION

Salt Lake City, Utah

To l	be	kept	Confidential	until	
		•		(Not to exceed 4 months after filing date	9

LOG OF OIL OR GAS WELL

Operating Company E. L. K. Oi	l Compar	Y. Addres	s 1842 Crook	Avenue, Che	<u>eyenne,</u> Wyomin
Lease or Tract. State ML #13848	3	Field	Wildcat	State Uta	h
Well No1 Sec. 20_ T.3N H Location _1650 ft. \(\frac{\text{N}}{\text{S}} \) of _N Line 8				- 00	
The information given herewith is so far as can be determined from all a	is a complet	te and correc		ell and all work	done thereon
Date February 14, 1962			TitleO	wner	
The summary on this page is for					
Commenced drilling December 6	2, 19	61 Finish	ed drilling Dec	ember 19,	, 19_ <u>6_1</u>
o		S SANDS () enote gas by G)	OR ZONES		
No. 1, fromNone to		No. 4	, from	to	
No. 2, from to		No. 5	, from	to	
No. 3, from to		No. 6	, from	to	
		NT WATER			
No. 1, from 1600 to 1	790	No. 3	from	tổ	
No. 2, from to		No. 4	from	to	
	CAS	ING RECO	RD		
Size Weight Threads per Make	Amount	Kind of shoe	Cut and pulled from	Perforated From- To-	Purpose
8-5/8	150'	-			Surface cem with 60 sacks
					1
MUD	DING AND) CEMENTI	NG RECORD		-
Size casing Where set Number sacks of c	Number sacks of cement		Mud gravity	Amount of n	nud used

			PLUC	S AND A	DAPTER	s	
Heaving p	lug—Material			Length -		Dep	th set
Adapters-	-Material			Size			
<u>-</u>				OOTING I			
Size	Shell used	Explo	sive used	Quantity	Date	Depth shot	Depth cleaned out
	l						
D	-1 wood fr	O		TOOLS U		and from	feet to feet
							feet tofeet
Cable tool	s were used from	II	100	DATE		,	
Date P &	A Decemb	er 20,	, 1	9 61. P	ıt to proc	ducing	, 19
							% was oil;%
_	% water;						
					llons gase	oline per 1,000 c	eu. ft. of gas
	pressure, lbs. 1						
	-			EMPLOY			
	illing Co.,		•				, Driller
Employ	ees of Cont	ractor	unknown , Drille	r			, Driller
			FOR	MATION	RECORI) 	
FROM-	то		TOTAL FE	ET		FORMA	rion
					At the end State	of complete Driller' whether from Elect	s Log add Geologic Tops. ric Logs or samples.
0	160	0	1600]]	Mancos	Shale	
1600	179	0	190	i	Frontie		
1790	195	50 T.D	160	1	Mowry	Shale	
						•	
		1					

[OVER]

FORMATION RECORD—Continued

FBOM—	то-	TOTAL FEET	FORMATION
			·
.			
•			
	·	ن	
	. ^		
			·
		w	
		**	

HISTORY OF OIL OR GAS WELL

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

State whether electric logs were run.

Sample Tops

Frontier 1600 ft. Mowry 1790 ft.


An attempt was made to run electric log but failed due to excessive bentonite squeeze in hole.

7. 308 1950	Degreet R.L.K. Oil Co. Page 11 Degreet Tincheta # 1 Set Mai Total Depth Total Depth 1950	Pish concerv R.L.K. Oil Co. COUNTY FAME WELL SO. Page 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	That conserv R.L.K. Oil Co. county fills well so. Parcett Plinchets # 1 Sui Mai 20 Evitt Drilling Co. Cont Total Depth	Daggest R.L.K. 011 Co. Colory Fills Daggest R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co		WATENDE		
Principle to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page 10. Page 10. Page 10. Print Drilling Co. Cont Total Depth 1950	Parcett Filling Co. Cont T. R. Fritt Drilling Co. Cont Total Deeth	Parcett Filling Co. Cont T. R. Fritt Drilling Co. Cont Total Deeth	Degrett Dincheta # 1	BEST COPY AVAILABLE	STATE		
Page 1 Ilingheta 1 Set 31 20 Evitt Drilling Co. Cont Total Depth 1950	Page 1 Ilingheta 1 Set 31 20 Evitt Drilling Co. Cont Total Depth 1950	Page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Daggett Tlingheta # 1	AVAILABLE	Uteh	Commente B.L.K. 011 Co.	
20 Evitt Drilling Co. Cont 30 208 1950	20 Evitt Drilling Co. Cont 70 208 1950	20 Evitt Drilling Co. Cont	20 Evitt Drilling Co. Cont	THE SHE BELL	AVAILABLE	Book TV		
7. 308 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH	20 Fritt Drilling Co. Conf.	AVAILABLE STATE Flash Company B.L.K. 011 Co. WELLO.	A.A.	Table 1	
7. 308 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH	20 Beitt Deilling Co. Cont.	AVAILABLE STATE Flash Company B.L.K. 011 Co. WELLO.	-	34	
7. 308 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH		AVAILABLE STATE Flash Company B.L.K. 011 Co. WELLO.	2 0	Builth Dudling Co. C.	on f
		30 20 1950		T. R. TOTAL DEPTH	AVAILABLE STATE Which county B.L.K. 011 Co. County Dagwert Tlincheta # 1	Y. R.	TOTAL DEPTH	1
O companie Pagemban 6 1961			34 205 1950		AVAILABLE STATE With comety B.L.K. 011 Co. OBJECT WELLS. Page 10. Page	28 AUE	1950	
O comments December 6 1061	1 10 1			38 AUE 1950	AVAILABLE STATE With comety B.L.K. 011 Co. OBJECT WELLS. Page 10. Page	J		
TOTAL PROPERTY OF THE PROPERTY	commences December 6, 1961	1 10 1			AVAILABLE STATE Fish Constit B.L.K. Oil Co. Weil ic. Page 181 20 Evitt Drilling Co. Cont TOTAL BEFTH 1950	0	councies December 6, 196	61
completed December 19, 1961	D	comments December 6, 1961	o commenté December 6, 1961		AVAILABLE STATE High county R.L.K. Oil Co. Descript Village Village Availage Village Village Swi Mai 20 Fritt Drilling Co. Cont Total Depth 1950		completes December 19, 19	961
Samples examined		councies December 6, 1961	community December 6, 1961	comments December 6, 1961	AVAILABLE STATE STATE		- Samples examine	
VACUIONE	Samples exemined	confisted December 6, 1961 confisted December 19, 1961 strang Samples examined	countries December 6, 1961 countries December 19, 1961 strang Samples examined	confutto December 6, 1961 confutto December 19, 1961 stranta Samples examined	AVAILABLE STATE STATE	6170 D. F		
	ALTITUDE SEMANNS Samples examined	conficted December 6, 1961 conficted December 19, 1961 semants Samples examined	complete December 6, 1961 complete December 19, 1961 memanus Samples examined	complete December 6, 1961 complete December 19, 1961 semance Samples examined	AVAILABLE STATE STATE	PRODUCTION	To vec tire George	SL
PRODUCTION	ALTIUDE 6170 D. F by C.O. Hile, Geologist	COMPLETED December 6, 1961 COMPLETED December 19, 1961 SERANCE Samples examined by C.O. Hile, Geologist	COMPLETED December 6, 1961 COMPLETED December 19, 1961 SEMANCE Samples examined by C.O. Hile, Geologist	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist	AVAILABLE STATE State Consent P.L.K. Oil Co. Section Consent P.L.K. Oil Co.	1354	CASING RECORD	
D&A	ALKTUDE SEMANCE Samples examined () 70 D. F PRODUCTION Dea	CONFLICTED December 6, 1961 CONFLICTED December 19, 1961 REMARKS Samples examined by C.O. Hile, Geologist PRODUCTION DOA	CONNETED December 6, 1961 CONNETED December 19, 1961 REMARKS Samples examined by C.O. Hile, Geologist PRODUCTION Deal	complete December 6, 1961 complete December 19, 1961 semance Samples examined by C.O. Hile, Geologist	AVAILABLE STATE STATE	150' 8 5/		cks
DSA CASING RECORD	ALKTUDE (0)70 D. F PRODUCTION DA CASING RECORD	CASING RECORD comments December 6, 1961 comments December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	CASING RECORD committed December 6, 1961 committed December 19, 1961 memarks Samples examined by C.O. Hile, Geologist CASING RECORD	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	AVAILABLE STATE Disch Constit R.L.K. 011 Co. STATE Plant Constit R.L.K. 011 Co. STATE STATE Plant Constit R.L.K. 011 Co. STATE			
CASING RECORD	ALKTUDE (0)70 D. F PRODUCTION DA CASING RECORD	CASING RECORD comments December 6, 1961 comments December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	CASING RECORD committed December 6, 1961 committed December 19, 1961 memarks Samples examined by C.O. Hile, Geologist CASING RECORD	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	AVAILABLE STATE Disch Constit R.L.K. 011 Co. STATE Plant Constit R.L.K. 011 Co. STATE STATE Plant Constit R.L.K. 011 Co. STATE			
DSA CASING RECORD	ALKTUDE (0)70 D. F PRODUCTION DA CASING RECORD	CASING RECORD comments December 6, 1961 comments December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	CASING RECORD committed December 6, 1961 committed December 19, 1961 memarks Samples examined by C.O. Hile, Geologist CASING RECORD	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	AVAILABLE STATE Disch Constit R.L.K. 011 Co. STATE Plant Constit R.L.K. 011 Co. STATE STATE Plant Constit R.L.K. 011 Co. STATE		{	
DSA CASING RECORD	ALKTUDE (0)70 D. F PRODUCTION DA CASING RECORD	CASING RECORD comments December 6, 1961 comments December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	CASING RECORD committed December 6, 1961 committed December 19, 1961 memarks Samples examined by C.O. Hile, Geologist CASING RECORD	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	AVAILABLE STATE Disch Constit R.L.K. 011 Co. STATE Plant Constit R.L.K. 011 Co. STATE STATE Plant Constit R.L.K. 011 Co. STATE			
DSA CASING RECORD	ALKTUDE (0)70 D. F PRODUCTION DA CASING RECORD	CASING RECORD comments December 6, 1961 comments December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	CASING RECORD committed December 6, 1961 committed December 19, 1961 memarks Samples examined by C.O. Hile, Geologist CASING RECORD	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD	AVAILABLE STATE Disch Constit R.L.K. 011 Co. STATE Plant Constit R.L.K. 011 Co. STATE STATE Plant Constit R.L.K. 011 Co. STATE			
CASING RECORD 150' 8 5/8" cemented with 60 Sacks	ALWITUDE (0)70 D.F PRODUCTION D8A CASING RECORD 150° 8 5/8" cemented with 60 Sacks	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks	CASING RECORD Consisted December 19, 1961 BERARKS Samples examined by C.O. Hile, Geologist CASING RECORD 150° 8 5/8" cemented with 60 Sacks	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD 150' 8 5/8" cemented with 60 Sacks	AVAILABLE STATE State Consent R.L.K. 011 Co. Consent R.L.K. 011	anot .	Aliabro permera	
DSA CASING RECORD	ALWITUDE (0)70 D.F PRODUCTION D8A CASING RECORD 150° 8 5/8" cemented with 60 Sacks	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks	CASING RECORD Consisted December 19, 1961 BERARKS Samples examined by C.O. Hile, Geologist CASING RECORD 150° 8 5/8" cemented with 60 Sacks	complete December 6, 1961 complete December 19, 1961 semants Samples examined by C.O. Hile, Geologist CASING RECORD 150' 8 5/8" cemented with 60 Sacks	AVAILABLE STATE State Consent R.L.K. 011 Co. Consent R.L.K. 011	SHOT	QUARTS BETWEEN	
CASING RECORD 150' 8 5/8" cemented with 60 Sacks	ALWITUDE (0)70 D.F PRODUCTION DA CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS DETWEEN	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks	COMPLETED December 6, 1961 COMPLETED December 19, 1961 SEMANUS SAMPLES examined by C.O. Hile, Geologist CASING RECORD 150' 8 5/8" cemented with 60 Sacks	AVAILABLE STATE STATE			
CASING RECORD 150° 8 5/8" cemented with 60 Sacks snot quarts between	ALRIUDE O PRODUCTION CASING RECORD 150' 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martia Ca., Tuksa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martia Ca., Tuksa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martia Ca., Tulsa	AVAILABLE STATE STATE		In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa	ALRIUDE O PRODUCTION CASING RECORD 150' 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Ca., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Ca., Tulsa	AVAILABLE STATE STATE		In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa	ALRIUDE O PRODUCTION CASING RECORD 150' 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Ca., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Ca., Tulsa	AVAILABLE STATE STATE		In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa	ALRIUDE O PRODUCTION CASING RECORD 150' 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Ca., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Ca., Tulsa	AVAILABLE STATE STATE		In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SMOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tuisa Med gry sft sh (Mancos)	ALNTUDE (0)70 D. F PRODUCTION DA CASING RECORD 150' 8 5/8" cemented with 60 Sacks BHOT QUARTS DETWEEN FORM 186 - in stock and for sole by Rose-Mertin Co., Tulsa Med gry aft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 186 - in stock and for sale by Ross-Mertin Co., Tutsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks FORM 186 - in stock and for sole by Ross-Martin Co., Tutsa Med gry sft sh (Mancos)	complete December 6, 1961 complete December 19, 1961 semance Samples examined by C.O. Hile, Geologist DAA CASING RECORD 150° 8 5/8" competed with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sole by Rose-Mertin Co., Tuisa Med gry sft sh (Mancos)	AVAILABLE STATE STATE	FORM 188 - H	In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SMOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tuisa Med gry sft sh (Mancos)	ALRIUDE O PRODUCTION CASING RECORD 150' 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tulsa	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 186 - in stock and for sale by Ross-Mertin Co., Tutsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks FORM 186 - in stock and for sole by Ross-Martin Co., Tutsa Med gry sft sh (Mancos)	complete December 6, 1961 complete December 19, 1961 semance Samples examined by C.O. Hile, Geologist DAA CASING RECORD 150° 8 5/8" competed with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sole by Rose-Mertin Co., Tuisa Med gry sft sh (Mancos)	AVAILABLE STATE STATE	FORM 188 - H	In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SMOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Mertin Co., Tulsa Med gry sft sh (Mancos)	ALNTUDE (0)70 D. F PRODUCTION DA CASING RECORD 150' 8 5/8" cemented with 60 Sacks BHOT QUARTS DETWEEN FORM 186 - in stock and for sole by Rose-Mertin Co., Tulsa Med gry aft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comested with 60 Sacks FORM 186 - in stock and for sole by Rose-Mertin Ca., Tutsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" comented with 60 Sacks But Quarts Between FORM 186 in stock and for sole by Ress-Mertin Ca., Tutsa Med gry sft sh (Mancos)	complete December 6, 1961 complete December 19, 1961 senance Samples examined by C.O. Hile, Geologist DAA CASING RECORD 150° 8 5/8" competted with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sole by Rose Mertin Co., Tulsa Med gry sft sh (Mancos)	AVAILABLE STATE STATE	FORM 188 - H	In stock and for sale by Ress-Martin Co., Tu	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SMOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Martin Co., Tuisa Med gry sft sh (Mancos)	ALKTUDE (0)70 D. F PRODUCTION DAA CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Ross-Martie Co., Tuisa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BOT QUARTS BETWEEN Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 188 - in stock and for sale by Ross-Martin Co., Tulsa Med gry sft sh (Mancos)	AVAILABLE Thinh conserv R.L.K. Oil Co. Thinh well ac. Thinghets To reserve R.L.K. Oil Co. To reserve R.L.K. To reserve	FORM 188 - H	Hed gry sft sh (Mancos	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Ross-Martin Co., Tulsa Med gry sft sh (Mancos)	ALKTUDE (0)70 D. F PRODUCTION DAA CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Ross-Martie Co., Tuisa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BOT QUARTS BETWEEN Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 188 - in stock and for sale by Ross-Martin Co., Tulsa Med gry sft sh (Mancos)	AVAILABLE Thinh conserv R.L.K. Oil Co. Thinh well ac. Thinghets To reserve R.L.K. Oil Co. To reserve R.L.K. To reserve	FORM 188 - H	Hed gry sft sh (Mancos	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks SHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Ross-Martin Co., Tulsa Med gry sft sh (Mancos)	ALKTUDE (0)70 D. F PRODUCTION DAA CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Ross-Martie Co., Tuisa Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD CASING RECORD 150' 8 5/8" comested with 60 Sacks BOT QUARTS BETWEEN Med gry sft sh (Mancos)	CASING RECORD CASING RECORD CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 188 - in stock and for sale by Ross-Martin Co., Tulsa Med gry sft sh (Mancos)	AVAILABLE Thinh conserv R.L.K. Oil Co. Thinh well ac. Thinghets To reserve R.L.K. Oil Co. To reserve R.L.K. To reserve	FORM 188 - H	Hed gry sft sh (Mancos	tsa
CASING RECORD 150° 8 5/8" cemented with 60 Sacks 8007 QUARTS DETWEEN FORM 186 - In stock and for sale by Rose-Mertin Co., Tulsa Med gry sft sh (Mancos)	ALKTUDE (0)70 D. F PRODUCTION DAA CASING RECORD 150' 8 5/8" comested with 60 Sacks SHOT QUARTS BETWEEN FORM 188 - in stock and for sale by Rose-Martin Co., Tulsa Med gry sft sh (Mancos)	ALRITUDE G)70 D. F PRODUCTION DA CASING RECORD 150' 8 5/8" cemented with 60 Sacks BHOT QUARTS BETWEEN FORM 186 - in stock and for sale by Rose-Mertin Co., Tulsa Med gry sft sh (Mancos)	CASING RECORD SHOT QUARTS DETWEEN FORM 186 - in stock and for sole by Rose-Mertin Co., Tulsa Med gry sft sh (Mancos)	COMPLETED December 6, 1961 COMPLETED December 19, 1961 REMARKS Samples examined by C.O. Hile, Geologist CASING RECORD 150° 8 5/8" cemented with 60 Sacks FORM 186 - In stock and for sole by Rose-Mertic Ca., Tulsa Med gry aft ah (Mancos)	AVAILABLE STATE STATE STATE STATE STATE Thinh SAME 20 Fritt Drilling Co. Cont TOTAL DEPTH 1950 Comments December 6, 1961 complete December 19, 1961 REMARK Samples examined by C.O. Hile, Geologist CASING RECORD 150' 8 5/8" competted with 60 Sacks FORM 188-in stock and for sale by Rose Martin Co. Tubsa Med gry sft sh (Mancos) 8807 Med gry sft sh (Mancos)	FORM 188 - H	Hed gry sft sh (Mancos	tsa
COMPLETED December 19, 196 REMARKS Samples examined	commence December 6, 1961			30 20 1950	AVAILABLE STATE STATE	COLOR DE PRODUCTION DA	remarks Samples examine by C.O. Hile, Geologi CASING RECORD)6 d s1
7. TOTAL DEPTH 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH		AVAILABLE TATE COMMENT R.L.K. 011 Co.	20	Built Dellling Co. C.	on f.
7. 30 TOTAL DEPTH 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH	20 Ewitt Defilling Co. Cont.	AVAILABLE TATE COMMENT R.L.K. 011 Co.	NAT.	SHE MA	
7. 308 1950	7. 208 1950	T. R. TOTAL DEPTH	T. R. TOTAL DEPTH	20 Ewith Drilling Co. Conf.	AVAILABLE STATE Which county R.L.K. 011 Co.	Degrett		•
Page 1 Ilingheta 1 Set 31 20 Evitt Drilling Co. Cont Total Depth 1950	Page 1 Ilingheta 1 Set 31 20 Evitt Drilling Co. Cont Total Depth 1950	Page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Daggett Tlingheta # 1	AVAILABLE	_ Utob		
Principle to 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Page 10. Page 10. Page 10. Print Drilling Co. Cont Total Depth 1950	Parcett Filling Co. Cont T. R. Fritt Drilling Co. Cont Total Deeth	Parcett Filling Co. Cont T. R. Fritt Drilling Co. Cont Total Deeth	Degrett Dincheta # 1		STATE		
Pitch concert R.L.K. Dil Co. Degrett Village V	Degreet R.L.K. Oil Co. Page 11 Degreet Tincheta # 1 Set Mai Total Depth Total Depth 1950	Pish concerv R.L.K. Oil Co. COUNTY FAME WELL SO. Page 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	That conserv R.L.K. Oil Co. county fills well so. Parcett Plinchets # 1 Sui Mai 20 Evitt Drilling Co. Cont Total Depth	Daggest R.L.K. 011 Co. Colory Fills Daggest R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co. Well Sc. Suppose R.L.K. 011 Co. Suppose R.L.K. 011 Co		WATENDE	LE	
STATE State Committee R.L.K. 011 Co. Selection with the selection of th	Pinch cometer R.L.K. 011 Co. Page 100 Pilling well so. 20 Pritt Drilling Co. Cont Total Depth 1950	Utah comes R.L.K. 011 Co. Could To Fill well Sc. Dagger T To Resident Substitute Co. Evitt Drilling Co. Cont. To R. Fritt Drilling Co. Cont.	Utah comes R.L.K. 011 Co. County Fills well so. Dagword Tlinghets # 1 Star 20 Evitt Drilling Co. Cont. Total Depth	Figh constr R.L.K. 011 Co. County Decreety Lincheta # 1 Set 304		∄ Δ.VΔ.ΤΙΛ.ΦΙ		

Very bentonitie

8

\$



1500 1600 Med to fine gr qtz sd, hd tite, glauc (Frontier Sd.) Sd getting congl 178 looks wet Same sd coarser Med gry sh less sd (Mowry) 1800 Med gry sh 188 Total Depth 1950 200 2100 2200

HAROLD L. MAI

ATTORNEY AT LAW 304 West Twentieth Street Cheyenne, Wyoming

Telephone 632-9228

January 22, 1962

STATE OF UTAH
Oil and Gas Conservation Commission
Salt Lake City, Utah

Gentlemen:

Enclosed herewith are affidavit of abandonment and well status report, together with a copy of the well log. If this satisfies your requirements would you please terminate liability under the bond of Robert A. Klicker.

If any further information is required would you please let me know and I will see that it is furnished.

Thank you for your help in this matter.

Very truly yours,

Harold & Mai

Harold L. Mai

HLM:mm Enc. January 24, 1962

Harold L. Mai Attorney At Law 304 West Twentieth Street Cheyenne, Wyoming

Dear Mr. Mai:

We have received your letter of January 22, 1962 concerning release of the bond of Mr. Robert A. Klicker for the drilling of the E. L. K. Oil Company State Well No. 1, Sec. 20, T. 3 N., R. 20 E., Daggett County, Utah. Before this bond can be released the following requirements must be met:

(1) Two completed copies of the "Log of Oil & Gas Well", Form OGCC-3 (copies enclosed) must be filed with this office; and,

(2) Either, (a) the location must be cleaned and leveled and inspected by a representative of this Commission or, (b) you must file with this Commission a letter signed by the land owner stating that he will personally clean the location to his own satisfaction in the near future.

Please advise us when these conditions have been met and we will release said bond.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

ROBERT L. SCHMIDT, CHIEF PETROLEUM ENGINEER

RLS: kpb Encloseres: (3)

STATE OF UTAH

OIL AND GAS CONSERVATION COMMISSION

AFFIDAVIT AND RECORD OF ABANDONMENT AND PLUGGING

PLUGGING METHODS AND PROCEDURE: - The method and procedure for plugging a well shall be as follows:

- (a) The bottom of the hole shall be filled to, or a bridge shall be placed at the top of each producing formation open to the well bore, and in either event, a cement plug not less that fifty (50) feet in length shall be placed immediately above each producing formation open to the well bore whenever possible.
- (b) A cement plug not less than fifty (50) feet in length shall be placed at approximately fifty (50) feet above and below all fresh water bearing strata.
- (c) A plug shall be placed at or near the surface of the ground in each hole.
- (d) The interval between plugs shall be filled with heavy mud-laden fluid.
- (e) The hole shall be plugged with heavy mud up to the base of the surface string at which point a plug of not less than fifty (50) feet of cement shall be placed.

shall be placed.	- Land of the state of the stat
Field or Pool Wildcat	County Daggett
Ylincheta Lease Name State Well No. 1	Sec. 20 Twp. 3N. R. 20E.
Date well was plugged: December 19, 1961, 19	· ·
Was the well plugged according to regulation of th	e Commission: Yes
Set out method used in plugging the well, the natural used in plugging, size of plugs, location and extendifferent materials, and the amount of casing left bottom elevations of each section of abandoned cases.	nt (by depths) of the plugs of in hole, (giving size, top and
100 foot plug on top of Frontier sand 1500 to 16	600 depth; 50 foot plug in bottom
of surface casing 100 to 150 depth; 10 foot plug	in top of surface casing: 4 inch
steel set on top of ground extending 4 feet high lease and well no. bead welded on pipe. Total	above surface with location
Formations drilled were Mancos, Frontier and	d 160 feet into Movern Plugged
in accordance with specific instructions receiv	red from office of Oil and Gas
Conservation Commission.	
Operator	Robert A. Klicker
Address	1842 Crook Avenue
	Cheyenne, Wyoming
	bet & Theker
AFFIDAVIT	
STATE OF WEAK Wyoming	
COUNTY OF Laramie	·
Before me, the undersigned authority on the	is day personally appeared
Robert A. Klicker , known is subscribed to the above instrument, who being be he is authorized to make this report and has knowl and that said report is true and correct.	y me duly sworn on oath states that edge of the facts stated herein,
Subscribed and sworn to before me this 2	oth day of January, 19 XX 62.
My Commission Expires: My Commission Expires July 11, 1965	

.

Horold T. Mai NOTARY PUBLIC HAROLD L. MAI

ATTORNEY AT LAW 304 West Twentieth Street CHEYENNE, WYOMING

TELEPHONE 632-9228

February 14, 1962

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Attention Mr. Robert L. Schmidt

Dear Mr. Schmidt:

Pursuant to your letter of January 24, 1962, I am enclosing herewith 2 copies of Log of Oil or Gas Well.

My client informs me that the owner of the land on which the well was drilled sent a letter directly to the Oil & Gas Conservation Commission stating he would personally clean up the location. It is my understanding that this should have reached you several weeks ago.

Very truly yours,

Harold L. Mai

HLM:mm Enc.

March 6, 1962 Harold L. Mai Attorney At Law 304 West Twentieth St. Cheyenne, Wyoming Dear Mr. Mai: We have received your letter of February 14, 1962 in which one copy of the well log was enclosed on the E. L. K. Oil Company Well State #1, located in Section 20, Township 3 North, Range 20 East, SLBM, Daggett County, Utah; however, this log lists the location of this well to be 1650 feet from the north line and 1385 feet from the east line whereas the notice of intention to drill this well gave the location as 1850 feet from the north line and 1850 feet from the east line. Would you please correct the copy of the log we are returning if the original footage location was correct. Your letter of February 14th also advises us that the owner of the land on which the well was drilled has forwarded us a letter stating he would personally clean up the location. To date, we have not received this letter and we can therefore not recommend release of the bond. Very truly yours, OIL & GAS CONSERVATION COMMISSION ROBERT L. SCHMIDT. CHIEF PETROLEUM ENGINEER RLS: kpb Enclosure

RL

HAROLD L. MAI

Attorney at Law 304 West Twentieth Street Cheyenne, Wyoming

TELEPHONE 632-9228

March 14, 1962

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Attention Mr. Robert L. Schmidt

Dear Mr. Schmidt:

It is my understanding that in accordance with orders from your office the location was changed at the time the notice of intention to drill was filed. I believe a plat was also filed at that time, which plat shows that the location was as set forth in the Log and not as in the original notice of intention to drill. It is also my understanding that you would know about this and that the notice of intention to drill had already been corrected. If there is any question about this please let me know. I am returning herewith the Log and a copy of the plat.

Mr. John Ylincheta was contacted again about his letter that he would personally clean up the location this spring. He stated he had mailed a letter to either the Land Office or your office and that he would send another one. I hope you will receive his letter within a few days.

Thank you for your help in this matter.

Very truly yours,

Harold L. Mai

HLM:mm Enc. F. M. TULLY 500 DAHLIA STREET DENVER 20, COLORADO

PETROLEUM GEOLOGIST

June 12, 1962

Oil and Gas Conservation Commission State of Utah State Capitol Salt Lake City, Utah

Gentlemen:

I am trying to find information concerning the following well drilled in December, 1961:

E.L.K. (or E1k) Oil No. 1 State $SW_{\frac{1}{4}}^{\frac{1}{4}}NE_{\frac{1}{4}}^{\frac{1}{4}}$ Sec. 20, T.3N., R. 20E., Daggett County, Utah TD 2000 approx, D & A.

Petroleum Information does not have any information other than the above. This is to inquire if you have any information on the well, such as: Total depth, formation tops, shows of oil or gas, results of tests, or any other well completion information. I would also appreciate knowing the address of the operator of the well.

Thanking you for your consideration in the matter.

Very truly yours,

F. M. Tully

FMT: js

June 18, 1962 Mr. F. M. Tully 500 Dahlia Street Denver 20, Colorado Re: E. L. K. Oil Company Well No. State #1 Sec. 20, T. 3 N, R. 20 E., Daggett County, Utah Dear Mr. Tully: Enclosed please find a photostat copy of the "Log of Oil or Gas Well", Form OGCC-3. The information on this well log is all we have available on the above mentioned well. Very truly yours, OIL & GAS CONSERVATION COMMISSION CLEON B. FEIGHT EXECUTIVE DIRECTOR CBF: cn Encl.

John Ylincheta, Jr. Linwood, Utah June 25th., 1962

Harold L. Mai Attorney at Law 304 West Twentieth St. Cheyenne, Wyo.

Dear Sir;

In regards to the location clean-up on my ranch,
I have requested the release of the bond but get no
results.

Would you write a letter to the proper people, send it to me for my signature, I will return it, and maybe that will do the job.

I am sorry this matter has taken so long.

Best personal regards,

John Ylincheta, Jr.

In men it the attacher viec - what the weless dant in the Illett on the aliance ment will Attached in heapy of a



FIREMAN'S FUND INSURANCE COMPANY . HOME FIRE & MARINE INSURANCE COMPANY . NATIONAL SURETY CORPORATION

835 EAST 18th AVENUE • DENVER 17, COLORADO • AMherst 6-2151
MAIL ADDRESS: P. O. BOX 5067
September 5, 1962

Utah State Oil and Gas Conservation Commission Salt Lake City, Utah

Re: 6080921 - Robert A. Klicker

DBA Elk Oil Company

\$5,000 Bond Lease #13848

Gentlemen:

Fireman's Fund Insurance Company executed the above entitled bond under date of December 1, 1961.

It is our understanding that drilling operations have ceased and that this bond is no longer required.

Will you be good enough to confirm this information, giving the date liability of Fireman's Fund Insurance Company terminated.

Very truly yours,

BOND DEPARTMENT

APM/amg

September 10, 1962

The Fund Insurance Companies 835 East 18th Avenue Denver 17. Colorado

Attention: A. P. McIntyre

Gentlemen:

Reference is made to your letter of September 5, 1962, concerning the \$5,000 Bond issued to lease number 13848, E. L. K. Oil Company, Well No. State \$1. This Bond will be released as soon as the location has been properly cleaned and marked.

Our Chief Petroleum Engineer, Paul W. Burchell, visited the location on August 24, 1962, and found the marker was left open, pits were unfilled and the location was not leveled.

Very truly yours

OIL & GAS CONSERVATION COMMISSION

CONNIE F. PALOUKOS RECORDS CLERK

CFP:cmp

1842 Grook Ave.
Cheyenne, Wyoming

September 25, 1962

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah

Gentlemen:

I, John Ylincheta, Jr., am the surface owner SW/4NE/4 of Section 20, T. 3 N., R. 20 E., SLM, Dagget County, Utah, upon which a test well for oil and gas was drilled by Robert A. Klicker in December, 1961.

I have released Mr. Klicker from all liability for surface damages and I will personally clean up the location to my satisfaction in the near future.

I respectfully request that you release the bond of Mr. Robert A. Klicker on the above land.

Very truly yours,

John Vlinch eta Ir

HAROLD L. MAI

ATTORNEY AT LAW 304 WEST TWENTIETH STREET CHEYENNE, WYOMING

TELEPHONE 632-9228

October 5, 1962

The State of Utah
Oil & Gas Conservation Commission
310 Newhouse Building
10 Exchange Place
Salt Lake City 11, Utah:

Gentlemen:

I am enclosing herewith a letter signed by John Ylincheta, Jr., the owner of the surface of the location of E. L. K. Oil Company State Well No. 1, Sec. 20, T. 3 N., R. 20 E., Daggett County, Utah, stating that he will personally clean up the location to his own satisfaction.

According to your letter of January 24, 1962, this is the last requirement prerequisite to releasing the bond of E. L. K. Oil Company, as I previously of February 14, 1962, filed the two copies of Log of Oil & Gas Wel.

Would you therefore please take action to have the bond released.

Thank you for your help in this matter.

Very truly yours,

Harold L. Mai

HLM:m Enc. UTAH OIL & GIS CONSERVATION COMMISSION
310 NEWHOUSE BUILDING
10 EXCHANGE PLACE
SALT LAKE CITY 11, UTAH

October 8, 1962

State Land Board 105 State Capitol Building Salt Lake City, Utah

Re: E.L.K. Oil Company,

6080921 - Robert A. Klicker

Well No. State #1

Sec. 20, T. 3 N, R. 20 E.,

Daggett County, Utah

Gentlemen:

Attached is a copy of a letter sent to this office by Mr. John Ylincheta, Jr.

In view of this letter we recommend that the bond now be relessed on the above mentioned well.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cp Encl.

cc: John Ylincheta, Jr. Linwood, Utah

> Harold L. Mai Attorney at Law 304 West Twentieth St. Cheyenne, Wyoming

The Fund Insurance do. Denver, colorado



FIREMAN'S FUND INSURANCE COMPANY + HOME FIRE & MARINE INSURANCE COMPANY + NATIONAL SURETY CORPORATION

835 EAST 18th AVENUE • DENVER 17, COLORADO • AMherst 6-2151 MAIL ADDRESS: P. O. BOX 5067

December 27, 1962

Utah State Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

Re: 6080921 - Robert A. Klicker DBA

#13848

Gentlemen:

Fireman's Fund Insurance Company executed the above bond under date of December 1, 1961.

It is our understanding that drilling operations have ceased, that in October approval of the release of the bond was made but we, as yet, have not received formal notification of such release. Will you be good enough to confirm the fact that our bond has been released as to further liability, and the date?

Very truly yours

A. P. McINTYRE

BOND DEPARTMENT

APM/amg

cc: Max C. Gardner, Director - State Land Board - Salt Lake City 14, Utah

Business Office:
120 W. 22nd Street
P. O. Box 957
Cheyenne, Wyoming
A. C. 307—634-7090
Branch Offices:
Jacksonville, Fla.
New York City, N.Y.



Exploration & Production Office

308-310 Transwestern Life Bldg.
P. O. Box 256/6 2.5
Billings, Montana
A. C. 406-245-6175

Utah Oil and Gas Conservation Commission 310 Newhouse Building Salt Lake City 11, Utah

Gentlemen:

We would appreciate receiving a copy of the Plugging Report forwarded to you on the following well:

E.L.K. Oil Co. #1 Ylincheta SW/4NE/4 Sec. 20-3N-20E Daggett County, Utah Commenced: 12-6-61 Plugged: 12-19-61

We are unable to locate a copy of this plugging report and it is very important to us to obtain this report as soon as possible.

Your prompt attention will be appreciated.

Very truly yours,

E.L.K. OIL COMPANY

John C. Kinard

JCK:mh

August 13, 1964

E.L.K. Oil Company 1222 North 27th Street P. O. Box 1623 Billings, Montana

Attention: Mr. John C. Kinard

Re: Well No. YLINCHETA STATE #1
Section 20, T. 3 N., R. 20 E.,
Daggett County, Utah

Gentlemen:

Enclosed is a copy of the "Affidavit and Record of Abandonment and Plugging" for the above mentioned well, as requested in your letter of August 11, 1964.

If we can be of further assistance to you, please advise.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF:cfm

Enclosure: Form